


Kiel Integrated Environment for Layout Eclipse Rich Client

Automatic Layout

KIML – KIELER Infrastructure for Meta Layout [2]




- Automatic layout of GMF diagrams
- Generic interface for layout algorithms
- Flexible configuration of layout options by the user

Textual Editing

- Synchronization of graphical models with textual representations
- Connect textual editors created with Xtext to GMF editors
- Transformation of the Esterel language to SyncCharts


Structure Based Editing

KSBaSE – KIELER Structure Based Editing




- Improve editing of graphical models by using model transformations for arbitrary operations
- Generic interface for GMF diagram editors

Environment Visualization




- SVG based rendering of arbitrary environments for simulation
- Specification of animations
- GUI for testing and demonstration of behavioral models



KIELER: Enhancing graphical modeling in Eclipse by integrating into existing frameworks such as EMF, GMF, and TMF [1]

View Management




Focus and context: the active states of a SyncChart are fully shown, while other states are collapsed

- Dynamically create and layout graphical views of the model
- Arbitrary conditions can trigger different visual effects

Model Execution

KIEM – KIELER Execution Manager




The semantic domain of Ptolemy is used as a possible simulation backend for KIEM.

Code Generation

- Generate code with Xpand
- Connect executable code to KIEM
- Examples:
 - SyncCharts in C [4]
 - Dataflow to Lustre

Model Comparison

KiViK – KIELER Visual Komparison [3]



- Visualizes differences in two versions of a model graphically
- Integrates into standard Eclipse GMF and comparison mechanisms
- Employs EMF Compare project as differencing engine
- Employs automatic layout and automatic zooming and scrolling for navigation

Contact Person:

Prof. Dr. Reinhard von Hanxleden
Department of Computer Science
Christian-Albrechts-Universität zu Kiel
Olshausenstr. 40, 24098 Kiel, Germany
Phone: +49 (0) 431 880-7281
Fax: +49 (0) 431 880-7615
rvh@informatik.uni-kiel.de
<http://www.informatik.uni-kiel.de/rtsys>

Contact Person:

Hauke Fuhrmann
Department of Computer Science
Christian-Albrechts-Universität zu Kiel
Olshausenstr. 40, 24098 Kiel, Germany
Phone: +49 (0) 431 880-7297
Fax: +49 (0) 431 880-7615
haf@informatik.uni-kiel.de
<http://www.informatik.uni-kiel.de/rtsys>

Further Information:

<http://www.informatik.uni-kiel.de/rtsys/kieler>

- [1] Hauke Fuhrmann and Reinhard von Hanxleden. Taming Graphical Modeling. In *Proceedings of the ACM/IEEE 13th International Conference on Model Driven Engineering Languages and Systems (MODELS'10)*, LNCS, Oslo, Norway, October 2010. Springer.
- [2] Miro Spönmann, Hauke Fuhrmann, Reinhard von Hanxleden, and Petra Mutzel. Port constraints in hierarchical layout of data flow diagrams. In *Proceedings of the 17th International Symposium on Graph Drawing (GD'09)*, LNCS, Chicago, September 2009.
- [3] Arne Schipper, Hauke Fuhrmann, and Reinhard von Hanxleden. Visual comparison of graphical models. In *Proceedings of the Fourth IEEE International Workshop UML and AADL*, held in conjunction with the 14th International Conference on Engineering of Complex Computer Systems (ICECCS'09), Potsdam, Germany, 2009.
- [4] Reinhard von Hanxleden. SyncCharts in C—a proposal for light-weight, deterministic concurrency. In *Proceedings of the International Conference on Embedded Software (EMSOFT'09)*, Grenoble, France, October 2009.